aquakit U-22-009

Specifications

AQUABRASS

DEMI-TOTEM 12123

1/2" thermostatic valve with 2-way or 3-way diverter - CALGreen

FEATURES

High performance 1/2" thermostatic valve
European made solid brass rough and thermo cartridge
Safety temperature limit stopper, preset at 38C / 100F
Reversible service check valves with filters / stop valves
1/2" NPT female connection (outlet/inlet)
Diverter cartridge not included
Available a third outlet if required

Flow rate: 12gpm at 45psi

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrass.com/warranty)





Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.

AQUABRASS

trim R8295 2-way shared functions
R9295 2-way 1 function at a time
R8395 3-way shared functions
R9395 3-way 1 function at a time

round

FEATURES

Solid brass construction
Screwless decorative trim
Thin contemporary style - 4 1/4" x 12" x 1/8"
Decorative cylinders (x2) for shut-off valve and thermo control
Diverter cartridge included
Handles (x2)
Fits 1/2" thermo valve 12123

FINISHES

Standard
Polished chrome (pc)
Brushed nickel (bn)
Custom
15 custom finishes available
(ask your local Aquabrass authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrass.com/warranty)





Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.

AQUABRASS

aquarondo 12684

complete shower rail

FEATURES

Round rail with adjustable sliding hook
5 function handshower: rain, rain/massage, massage, massage/jet, jet
5' to 6' expandable braided hose

Flow rate:	2.5 gpm
Height:	31 1/2"

FINISHES

Standard
Polished chrome (pc)
Brushed nickel (bn)
Sur mesure
15 finis sur mesure disponible
(pour plus d'information, demander conseil à votre détaillant)

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrass.com/warranty)





AQUABRASS

adjustable waterway 1409

round

FEATURES

Thermo insulation body
5/8" trim adjustement to elbow installation
1/2" NPT female connection

FINISHES

Standard
Polished chrome (pc)
Brushed nickel (bn)
Custom
15 Custom finishes available
(ask your local Aquabrass authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrass.com/warranty)



Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.

AQUABRASS

adjustable waterway 1409

round

EXPLOSION PARTS



Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.

AQUABRASS

body jet 2566

round

FEATURES

Solid brass construction
1 function: jet
Pivoting head
1/2" NPT connection

Flow rate: 1.5 gpm

FINISHES

Standard
Polished chrome (pc)
Brushed nickel (bn)
Custom
15 Custom finishes available
(ask your local Aquabrass authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrass.com/warranty)





Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.