

Specifications



Specifications







FEATURES

High performance 1/2" thermostatic valve
European made solid brass rough and thermo cartridge
Safety temperature limit stopper, preset at 38C / 100F
Reversible service check valves with filters / stop valves
1/2" NPT female connection (outlet/inlet)
Diverter cartridge not included
Available a third outlet if required

Flow rate: 12gpm at 45psi

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrace.com/warranty)



AQUABRASS



trim S8295 2-way shared functions
 S9295 2-way 1 function at a time
 S8395 3-way shared functions
 S9395 3-way 1 function at a time
 square

FEATURES

Solid brass construction
 Screwless decorative trim
 Thin contemporary style - 4 1/4" x 12" x 1/8"
 Decorative cylinders (x2) for shut-off valve and thermo control
 Diverter cartridge included
 Handles (x2)
 Fits 1/2" thermo valve 12123

FINISHES

Standard



Polished chrome (pc)
 Brushed nickel (bn)

Custom

15 custom finishes available
 (ask your local Aquabrand authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser
 Commercial: Two years warranty
 (Complete warranty available at www.aquabrand.com/warranty)



AQUABRASS

PLSC77778PC

Round wall and ceiling shower arm set with square flange

FEATURES




Solid brass construction
Wallmount/ceiling installation
1/2" NPT female connection

FINISHES

Standard
Polished chrome (pc)
Brushed nickel (bn)

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrand.com/warranty)





FEATURES

Contemporary style
Solid brass construction
Silicone spray nozzles for easy cleaning
1/2" NPT female connection

Flow rate: 2.5 gpm

FINISHES

Standard

Polished chrome (pc)

Brushed nickel (bn)

Custom

15 custom finishes available


(ask your local Aquabrain authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser

Commercial: Two years warranty

(Complete warranty available at www.aquabrain.com/warranty)





FEATURES

1 function: rain
Silicone spray nozzles for easy cleaning
1/2" male connection

flow rate: 2.5 gpm


FINISHES

Standard

Polished chrome (pc)
Brushed nickel (bn)

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabraxx.com/warranty)





FEATURES

Double interlock 5' to 6' spiral hose
Extensible
ANTI TWIST (one end with ball-bearing)
1/2" connections

FINISHES

Standard


Polished chrome (pc)
Brushed nickel (bn)

Custom

15 Custom finishes available
(ask your local Aquabrace authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrace.com/warranty)





FEATURES

Solid brass construction
Rotatable hook
1/2" NPT female connection

FINISHES

Standard

Polished chrome (pc)
Brushed nickel (bn)

Custom

19 Custom finishes available
(ask your local Aquabrand authorized dealer for details)

WARRANTY

Residential: Residential: Limited lifetime warranty to original purchaser
commercial: Two years warranty
(Complete warranty available at www.aquabrand.com/warranty)

