

Specifications







FEATURES

- High performance 1/2" thermostatic valve
- European made solid brass rough and thermo cartridge
- Safety temperature limit stopper, preset at 38C / 100F
- Reversible service check valves with filters / stop valves
- 1/2" NPT female connection (outlet/inlet)
- Diverter cartridge not included
- Available a third outlet if required

Flow rate: 12gpm at 45psi

WARRANTY

- Residential: Limited lifetime warranty to original purchaser
- Commercial: Two years warranty
- (Complete warranty available at www.aquabress.com/warranty)



AQUABRASS



trim S8295 2-way shared functions
S9295 2-way 1 function at a time
S8395 3-way shared functions
S9395 3-way 1 function at a time
square

FEATURES

Solid brass construction
Screwless decorative trim
Thin contemporary style - 4 1/4" x 12" x 1/8"
Decorative cylinders (x2) for shut-off valve and thermo control
Diverter cartridge included
Handles (x2)
Fits 1/2" thermo valve 12123

FINISHES

Standard



Polished chrome (pc)
Brushed nickel (bn)

Custom

15 custom finishes available
(ask your local Aquabrace authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrace.com/warranty)





FEATURES

2 functions: rain, chute
 Concealed water-saving air induction system
 10" rainhead
 7" wide chute
 1/2" NPT female connection
 2 port valve required


Flow rate: 2.5 gpm
 Projection: 20 1/2"

FINISHES


Standard
 Polished chrome (pc)
 Brushed nickel (bn)



WARRANTY

Residential: Limited lifetime warranty to original purchaser
 Commercial: Two years warranty
 (Complete warranty available at www.aquabrand.com/warranty)



RECOMMENDATIONS





FEATURES

- Square handshower with 4" rotative head
- 5 function handshower: rain, soff pulsating jets
- Built-in backflow preventer
- Adjustable sliding handshower holder
- 5' to 6' expandable braided hose

Flow rate: 2.5 gpm
Height: 31 1/2"

FINISHES

Standard


- Polished chrome (pc)
- Brushed nickel (bn)

Custom

- 15 Custom finishes available
- (ask your local Aquabrace authorized dealer for details)

WARRANTY

- Residential: Limited lifetime warranty to original purchaser
- Commercial: Two years warranty
- (Complete warranty available at www.aquabrace.com/warranty)





FEATURES



Thermo insulation body
 5/8" trim adjustment to elbow installation
 1/2" NPT female connection

FINISHES

Standard
 Polished chrome (pc)
 Brushed nickel (bn)
Custom
 15 Custom finishes available
 (ask your local Aquabrax authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser
 Commercial: Two years warranty
 (Complete warranty available at www.aquabrax.com/warranty)



EXPLOSION PARTS

