


## Specifications

---







## FEATURES

High performance 1/2" thermostatic valve  
European made solid brass rough and thermo cartridge  
Safety temperature limit stopper, preset at 38C / 100F  
Reversible service check valves with filters / stop valves  
1/2" NPT female connection (outlet/inlet)  
Diverter cartridge not included  
Available a third outlet if required

Flow rate: 12gpm at 45psi

## WARRANTY

Residential: Limited lifetime warranty to original purchaser  
Commercial: Two years warranty  
(Complete warranty available at [www.aquabrace.com/warranty](http://www.aquabrace.com/warranty))



# AQUABRASS



trim S8295 2-way shared functions  
 S9295 2-way 1 function at a time  
 S8395 3-way shared functions  
 S9395 3-way 1 function at a time  
 square

## FEATURES

Solid brass construction  
 Screwless decorative trim  
 Thin contemporary style - 4 1/4" x 12" x 1/8"  
 Decorative cylinders (x2) for shut-off valve and thermo control  
 Diverter cartridge included  
 Handles (x2)  
 Fits 1/2" thermo valve 12123

## FINISHES

### Standard



Polished chrome (pc)  
 Brushed nickel (bn)

### Custom

15 custom finishes available  
 (ask your local Aquabrand authorized dealer for details)

## WARRANTY

Residential: Limited lifetime warranty to original purchaser  
 Commercial: Two years warranty  
 (Complete warranty available at [www.aquabrand.com/warranty](http://www.aquabrand.com/warranty))



## CARACTÉRISTIQUES





Laiton massif  
Installation au plafond ou mural  
Raccordement 1/2" femelle NPT

## FINIS

Standard  
Chrome poli (pc)  
Nickel brossé (bn)

## GARANTIE

Résidentielle : Garantie à vie limitée au premier acheteur  
Commerciale : 2 ans  
(la garantie complète est disponible sur [www.aquabrax.com/garantie/](http://www.aquabrax.com/garantie/))





## FEATURES

Contemporary style  
Solid brass construction  
Silicone spray nozzles for easy cleaning  
1/2" NPT female connection

Flow rate: 2.5 gpm

## FINISHES

### Standard

Polished chrome (pc)

Brushed nickel (bn)

### Custom

15 custom finishes available


(ask your local Aquabrain authorized dealer for details)

## WARRANTY

Residential: Limited lifetime warranty to original purchaser

Commercial: Two years warranty

(Complete warranty available at [www.aquabrain.com/warranty](http://www.aquabrain.com/warranty))



## FEATURES

Square handshower with 4" rotative head  
5 function handshower: rain, soff pulsating jets  
Built-in backflow preventer  
Adjustable sliding handshower holder  
5' to 6' expandable braided hose

Flow rate: 2.5 gpm  
Height: 31 1/2"

## FINISHES

### Standard





Polished chrome (pc)  
Brushed nickel (bn)

### Custom

15 Custom finishes available  
(ask your local Aquabress authorized dealer for details)

## WARRANTY

Residential: Limited lifetime warranty to original purchaser  
Commercial: Two years warranty  
(Complete warranty available at [www.aquabress.com/warranty](http://www.aquabress.com/warranty))



# AQUABRASS

# adjustable waterway 1408

square



## FEATURES

Thermo insulation body  
5/8" trim adjustment to elbow installation  
1/2" NPT female connection

## FINISHES

### Standard

Polished chrome (pc)

Brushed nickel (bn)

### Custom

15 Custom finishes available



(ask your local Aquabrax authorized dealer for details)

## WARRANTY

Residential: Limited lifetime warranty to original purchaser


Commercial: Two years warranty

(Complete warranty available at [www.aquabrax.com/warranty](http://www.aquabrax.com/warranty))



**EXPLOSION PARTS**

---







## FEATURES

Solid brass construction  
Non-diverter  
1/2" NPT female connection

## FINISHES

## Standard

Polished chrome (pc)

Brushed nickel (bn)

## Custom

15 Custom finishes available

(ask your local Aquabrace authorized dealer for details)

## WARRANTY

Residential: Limited lifetime warranty to original purchaser

Commercial: Two years warranty

(Complete warranty available at [www.aquabrace.com/warranty](http://www.aquabrace.com/warranty))

## SPECS AT LARGE

Overall spout projection: 7 3/4"      Flow rate: depends on valve capacity

