## aquakit U-32-033

## **Specifications**



## DEMI-TOTEM 12123

1/2" thermostatic valve with 2-way or 3-way diverter - CALGreen




#### FEATURES

High performance 1/2" thermostatic valve European made solid brass rough and thermo cartridge Safety temperature limit stopper, preset at 38C / 100F Reversible service check valves with filters / stop valves 1/2" NPT female connection (outlet/inlet) Diverter cartridge not included Available a third outlet if required

Flow rate: 12gpm at 45psi

#### WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)



Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc. last revision: 16/09/2016 aquabrass.com





2-way shared functions

2-way 1 function at a time

3-way shared functions

3-way 1 function at a time

round

#### FEATURES


Solid brass construction Screwless decorative trim Thin contemporary style - 4 1/4" x 12" x 1/8" Decorative cylinders (x2) for shut-off valve and thermo control Diverter cartridge included Handles (x2) Fits 1/2" thermo valve 12123


#### FINISHES

Standard Polished chrome (pc) Brushed nickel (bn) Custom 15 custom finishes available (ask your local Aquabrass authorized dealer for details)

#### WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)






Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.

last revision: 18/08/2016

## recessed rainhead 801



#### FEATURES

Stainless steel construction Pre-assembled Easy clip installation 1/2" NPT male connection

Flow rate: 2.5 gpm


Can also be used as a large wallmount body jet

FINISH

Standard Polished stainless steel (pss)

WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)



Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aguabrass.com for any further gueries, replacement parts requests etc.

# aquarondo 12684

complete shower rail

#### FEATURES

Round rail with adjustable sliding hook 5 function handshower: rain, rain/massage, massage, massage/jet, jet 5' to 6' expandable braided hose

Flow rate:	2.5 gpm
Height:	31 1/2"


#### **FINISHES**

#### Standard

Polished chrome (pc) Brushed nickel (bn) **Sur mesure** 15 finis sur mesure disponible (pour plus d'information, demander conseil à votre détaillant)

#### WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)



Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc. Last revision: 15/09/2016 aquabrass.com

## AQUABRASS adjustable waterway 1409



#### FEATURES

Thermo insulation body 5/8" trim adjustement to elbow installation 1/2" NPT female connection


#### FINISHES

### Standard

Polished chrome (pc) Brushed nickel (bn) **Custom** 15 Custom finishes available (ask your local Aquabrass authorized dealer for details)

#### WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)



Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.


round



## adjustable waterway 1409

round

**EXPLOSION PARTS** 



Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.

## tub spout 11932

7" square wallmount cascading tub spout



#### FEATURES

Solid brass construction Non-diverter Cascading water flow 1/2" NPT male connection


#### FINISHES

#### Standard

Polished chrome (pc) Brushed nickel (bn) **Custom** 15 Custom finishes available (ask your local Aquabrass authorized dealer for details)

#### WARRANTY

Residential: Limited lifetime warranty to original purchaser Commercial: Two years warranty (Complete warranty available at www.aquabrass.com/warranty)





Products and specifications shown are subject to change without notice. Please contact our technical support at tech@aquabrass.com for any further queries, replacement parts requests etc.